







形式 STYLE	C1-FUSE (Bolt-on Fuse-M5)
 	



PART NO.	AMPERE RATING	COLOR
SBF-30A(O)-C1-JF	30	ORANGE
SBF-40A(G)-C1-JF	40	GREEN
SBF-50A(R)-C1-JF	50	RED
SBF-60A(Y)-C1-JF	60	YELLOW
SBF-70A(BR)-C1-JF	70	BROWN
SBF-80A(C)-C1-JF	80	CLEAR
SBF-100A(L)-C1-JF	100	BLUE
SBF-125A(P)-C1-JF	125	PINK
SBF-150A(GR)-C1-JF	150	GRAY
SBF-200A(V)-C1-JF	200	VIOLET

形式	STYLE	A1-FUSE (Female Terminal Fuse Link)	
		SPECIFICATIONS: JASO D612-4	
			JF



PART NO.	AMPERE RATING	COLOR
SBF-20A(LL)-A1-JF	20	LIGHT BLUE
SBF-30A(P)-A1-JF	30	PINK
SBF-40A(G)-A1-JF	40	GREEN
SBF-50A(R)-A1-JF	50	RED
SBF-60A(Y)-A1-JF	60	YELLOW
SBF-70A(BR)-A1-JF	70	BROWN
SBF-80A(B)-A1-JF	80	BLACK

形式 STYLE	F-FUSE (Female Terminal Fuse Link)	
		SPECIFICATIONS: JASO D612-4
		
		JF

PART NO.	AMPERE RATING	COLOR
SBF-20A(LL)-F-JF	20	LIGHT BLUE
SBF-30A(P)-F-JF	30	PINK
SBF-40A(G)-F-JF	40	GREEN
SBF-50A(R)-F-JF	50	RED
SBF-60A(Y)-F-JF	60	YELLOW
SBF-70A(BR)-F-JF	70	BROWN
SBF-80A(B)-F-JF	80	BLACK

形式	STYLE	E-FUSE (Female Terminal Fuse Link)	
			JF

PART NO.	AMPERE RATING	COLOR
SBF-45A(R)-E-JF	45	RED
SBF-65A(B)-E-JF	65	BLACK
SBF-75A(GR)-E-JF	75	GRAY

形式 STYLE	AS-FUSE (Female Terminal Fuse Link)	
	SPECIFICATIONS: JASO D612-4	
		

JF




PART NO.	AMPERE RATING	COLOR
SBF-20A(LL)-AS-JF	20	LIGHT BLUE
SBF-30A(P)-AS-JF	30	PINK
SBF-40A(G)-AS-JF	40	GREEN
SBF-50A(R)-AS-JF	50	RED
SBF-60A(Y)-AS-JF	60	YELLOW
SBF-70A(BR)-AS-JF	70	BROWN
SBF-80A(B)-AS-JF	80	BLACK
SBF-100A(L)-AS-JF	100	BLUE

形式 STYLE

B2-FUSE (Fusible Link Fuse-M6)

SPECIFICATIONS:

JASO D612-4





JF

PART NO.	AMPERE RATING	COLOR
SBF-20A(LL)-B2-JF	20	LIGHT BLUE
SBF-30A(P)-B2-JF	30	PINK
SBF-40A(G)-B2-JF	40	GREEN
SBF-50A(R)-B2-JF	50	RED
SBF-60A(Y)-B2-JF	60	YELLOW
SBF-70A(BR)-B2-JF	70	BROWN
SBF-80A(B)-B2-JF	80	BLACK
SBF-100A(L)-B2-JF	100	BLUE
SBF-120A(W)-B2-JF	120	WHITE
SBF-140A(LR)-B2-JF	140	REDDISH

形式 STYLE

C-FUSE (Fusible Link Fuse-M6)

SPECIFICATIONS:
JASO D612-4




JF


PART NO.	AMPERE RATING	COLOR
SBF-20A(LL)-C-JF	20	LIGHT BLUE
SBF-30A(P)-C-JF	30	PINK
SBF-40A(G)-C-JF	40	GREEN
SBF-50A(R)-C-JF	50	RED
SBF-60A(Y)-C-JF	60	YELLOW
SBF-70A(BR)-C-JF	70	BROWN
SBF-80A(B)-C-JF	80	BLACK
SBF-100A(L)-C-JF	100	BLUE
SBF-120A(W)-C-JF	120	WHITE
SBF-140A(LR)-C-JF	140	REDDISH

形式 STYLE

B1-FUSE (Fusible Link Fuse-M6)



SPECIFICATIONS:
JASO D612-4



JF

PART NO.	AMPERE RATING	COLOR
SBF-20A(LL)-B1-JF	20	LIGHT BLUE
SBF-30A(P)-B1-JF	30	PINK
SBF-40A(G)-B1-JF	40	GREEN
SBF-50A(R)-B1-JF	50	RED
SBF-60A(Y)-B1-JF	60	YELLOW
SBF-70A(BR)-B1-JF	70	BROWN
SBF-80A(B)-B1-JF	80	BLACK
SBF-100A(L)-B1-JF	100	BLUE
SBF-120A(W)-B1-JF	120	WHITE